



[50129/00202]

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**


Applicants : Itzhak KRONZON  
Serial No. : 10/826,199  
Filed : April 15, 2004  
For : COMBINED TRANESOPHAGEAL  
ECHOCARDIOGRAPHY AND TRANSESOPHAGEAL  
CARDIOVERSION PROBE  
Examiner : To be assigned

Mail Stop: Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**Certificate of Mailing**

I hereby certify that this correspondence is being deposited  
with U.S. Postal Services as first class mail in an envelope  
addressed to:

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


By:  Date: September 21, 2004  
Oleg F. Kaplun (Reg. No. 45,559)

**TRANSMITTAL**

Transmitted herewith please find a Response to a Notice to File Corrected Application  
Papers mailed on July 27, 2004. No fees are believed to be required. However, if any fees are  
required, the Commissioner is authorized to charge the Deposit Account of **Fay Kaplun &  
Marcin, LLP No. 50-1492**. A copy of this paper is enclosed for that purpose.

Respectfully submitted,

Dated: September 21, 2004

By:   
Oleg F. Kaplun, Reg. No. 45,559

Fay Kaplun & Marcin, LLP  
150 Broadway, Suite 702  
New York, NY 10038  
(212) 619-6000 Telephone  
(212) 619-0276 Facsimile



[50129/00202]

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

Applicants : Itzhak KRONZON  
Serial No. : 10/826,199  
Filed : April 15, 2004  
For : COMBINED TRANESOPHAGEAL  
ECHOCARDIOGRAPHY AND TRANSESOPHAGEAL  
CARDIOVERSION PROBE  
Examiner : To be assigned


Mail Stop: Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

In response to the Notice to File Corrected Application Papers mailed on July 27, 2004, transmitted herewith are five (5) sheets of corrected drawings for filing in the above-identified application. A copy of the Notice is enclosed herewith.

Respectfully Submitted,

Dated: September 21, 2004

By   
Oleg F. Kaplun (Reg. No. 45,559)

FAY KAPLUN & MARCIN, LLP  
150 Broadway Suite 702  
New York, NY 10038  
(212) 619-6000 (telephone)  
(212) 619-0276 (facsimile)



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NUMBER | FILING OR 371 (c) DATE | FIRST NAMED APPLICANT | ATTORNEY DOCKET NUMBER |
|--------------------|------------------------|-----------------------|------------------------|
| 10/826,199         | 04/15/2004             | Itzhak Kronzon        | 50129/00202            |

30636  
FAY KAPLUN & MARCIN, LLP  
150 BROADWAY, SUITE 702  
NEW YORK, NY 10038



CONFIRMATION NO. 9818  
FORMALITIES LETTER



\*OC000000013357615\*

Date Mailed: 07/27/2004

**NOTICE TO FILE CORRECTED APPLICATION PAPERS**

***Filing Date Granted***

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
  - The drawings must be reasonably free from erasures and must be free from alterations, overwriting, interlineations, folds, and copy marks. See Figure(s) 5b.

Replies should be mailed to: Mail Stop Missing Parts  
Commissioner for Patents  
P.O. Box 1450  
Alexandria VA 22313-1450

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE